


Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.


PER CAPITA FRUIT CONSUMPTION




REPRINTED FROM THE FRUIT SITUATION • JUNE 1976

PER CAPITA FRUIT CONSUMPTION

Americans consumed an estimated total of 211.4 pounds (fresh weight equivalent) of fruit per person during 1975. This was up about 8 pounds or 4 percent from 1974.




Fresh fruit use continued to expand, increasing 3.6 pounds during 1975 to 82 pounds per person—5 percent above 1974 and the highest level since the early 1960's. Noncitrus consumption accounted for a 2-pound increase to 53.1 pounds, with apples



alone contributing a 1½-pound increase. Peaches, pears, and cherries also recorded gains. However, the leading fresh fruit, bananas, showed a decline of nearly a pound to 17.8 pounds per capita.

Per capita fresh citrus consumption increased 1.6 pounds to 28.9 pounds during 1975, with oranges showing the largest increase.

Per capita processed fruit consumption increased 4.5 pounds and reached 129.4 pounds in 1975. Most of this increase was attributed to processed citrus, namely frozen concentrated orange juice and chilled citrus juices. Processed noncitrus per capita consumption increased only one-tenth of a pound to 43.3, with increases for frozen fruit offsetting a decline for canned fruit.



Detailed data showing per capita consumption of individual fresh and processed fruit for 1950 to 1975 is presented in tables 23 through 29.

Forecasts indicate per capita fruit consumption is likely to reach 216 pounds per person in 1976. More than half the increase from 1975 is likely to be accounted for by noncitrus fruit. Citrus consumption is also expected to continue to expand, with increases in processed use offsetting a probable slight decline for fresh citrus.

TREE NUTS

Record Almond Crop

The 1976 California almond crop is expected to total a record 210,000 tons (in shell basis), 31 percent above last year and 11 percent above the record 1974 crop. This year's crop is expected to yield 255 million pounds of nut meats. Weather conditions generally have been ideal for the crop thus far, with good nut sets in most areas.

Both domestic and foreign shipments so far during 1975/76 have shown substantial improvement from a year ago according to the Almond Control Board. During the first 10 months of the 1975/76 season, domestic shipments were almost one-third more than the corresponding period of last season. Total exports of shelled almonds during the same period were 104 million pounds, an increase of 14 percent from a year ago. The increase reflects the larger shipments to Japan which has bought more than twice as much as a year ago but still less than during the same period two years ago. Substantial increases in exports to France and United Kingdom were also recorded while total shipments to West Germany, our principal market, have declined considerably. The increase in export demand for U.S. almonds

resulted in part from increasing industry promotional activities.

With the general economy strengthening both here and abroad, total movement of almonds is expected to continue to improve for the remainder of the season. Thus, even with a moderately larger supply at the beginning of the season, total carry-over into the 1976/77 marketing season is expected to be considerably smaller than last season. Although there are no formal opening prices currently for the 1976 crop, prices are not likely to be substantially below year-earlier levels despite the record crop.

Substantially Larger Walnut Movement

Shipments of walnuts have also registered substantial increases in both domestic and foreign markets. Sharp increases in exports were recorded to the European markets in spite of larger crops in India and Italy. Thus, even with a record large 1975 crop, unsold inventories for both unshelled and shelled walnuts held by walnut handlers going into the 1976/77 season are expected to be well below a year earlier.

Table 23—Fruit, per capita consumption: Fresh-weight equivalent, average 1950-54 and 1955-59, annual 1960-75¹

Year	Citrus					Apples					Other fruit					All fruit ⁴			
	Fresh ²	Canned ²	Canned juice ²	Chilled ³	Frozen	Total	Fresh ⁴	Canned	Canned juice	Frozen	Dried	Total	Fresh	Canned	Canned juice		Frozen	Dried	Total
	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds		Pounds	Pounds	Pounds
1950-54 av.	43.7	1.7	17.9	---	19.8	83.1	22.2	3.6	0.9	0.5	1.0	28.2	45.2	19.6	6.7	2.5	12.7	86.8	198.0
1954-59 av.	36.6	1.9	13.7	3.1	30.5	85.8	20.3	4.4	1.1	.7	.8	27.3	40.1	19.9	8.6	3.1	11.5	83.2	196.2
1960	33.7	2.0	11.6	4.4	34.2	85.9	18.3	4.8	1.4	.7	.8	26.0	41.4	19.3	9.0	3.1	10.8	83.6	195.5
1961	30.8	1.8	10.7	3.7	32.1	79.1	16.4	5.0	1.5	.6	.8	24.3	41.4	19.4	8.0	3.2	10.4	82.4	185.8
1962	29.5	1.9	10.5	4.5	37.2	83.6	17.4	4.8	1.6	.5	.8	25.1	36.5	18.8	8.0	3.5	10.6	77.4	186.1
1963	22.1	1.3	10.7	3.5	25.1	62.7	16.7	5.1	1.9	.7	.9	25.3	35.7	19.0	9.6	3.5	10.2	78.0	166.0
1964	26.2	1.7	8.7	3.5	23.5	63.6	17.9	5.1	2.3	.7	.6	26.6	34.7	18.6	8.3	3.3	10.2	75.1	165.3
1965	29.1	1.8	8.1	4.4	29.6	73.0	16.3	5.4	2.4	.8	.7	25.6	35.7	18.8	7.6	3.3	10.4	75.8	174.4
1966	29.1	2.0	9.5	7.1	28.0	75.7	16.1	4.5	1.8	.7	.9	24.0	36.3	18.7	8.5	3.2	10.6	77.3	177.0
1967	31.6	2.2	11.1	9.3	40.0	94.2	16.2	5.1	2.1	.9	1.0	25.3	33.2	18.0	7.0	3.3	10.4	71.9	191.4
1968	26.2	2.1	10.5	8.9	34.3	82.0	15.7	4.9	2.6	.8	.9	24.9	36.3	17.9	8.0	3.4	9.9	75.5	182.4
1969	28.2	1.7	14.6	8.7	34.5	87.7	14.9	5.0	3.7	.9	1.1	25.6	35.6	20.1	8.0	3.3	9.6	76.6	189.9
1970	28.6	1.8	13.4	9.8	41.4	95.0	18.3	5.2	4.1	.8	1.2	29.6	34.3	18.9	7.7	2.9	9.4	73.2	197.8
1971	29.2	2.0	15.1	9.8	41.2	97.3	16.2	5.0	5.0	.9	.7	27.8	34.4	17.8	7.4	3.2	9.4	72.2	197.3
1972	27.2	1.7	16.7	10.6	43.2	99.4	17.4	4.8	4.0	1.1	.5	27.8	32.4	17.7	6.7	3.1	8.5	68.4	195.6
1973	27.3	1.7	16.1	10.8	48.1	104.0	14.5	4.7	4.0	1.0	.8	25.0	33.8	17.5	7.8	3.0	7.6	69.7	198.7
1974	27.3	1.7	15.7	10.6	53.6	108.9	15.9	4.4	3.9	.6	1.1	25.9	35.2	15.9	6.2	2.5	8.7	68.5	203.3
1975 ⁵	28.9	1.4	16.1	11.4	57.2	115.0	17.4	4.3	4.1	.9	1.0	27.7	35.7	15.3	5.8	3.0	8.9	68.7	211.4

¹ Excludes quantities consumed as baby food. Unless otherwise noted, data represent a calendar year (adjustments to a calendar year, when necessary, were made by combining proportional parts of each pack year involved). Civilian consumption only. Beginning 1960, includes Alaska and Hawaii. ² Crop and pack year beginning October or November prior to year indicated. ³ 1954-59 average data prior to 1960. ⁴ Includes only apples grown in commercial areas. ⁵ Preliminary.

Note: See September 1970 (TFS-176) Fruit Situation for annual data prior to 1960.

Table 24—Fresh fruit: Per capita consumption, fresh weight basis, average 1950-54 and 1955-59, annual 1960-75¹

Year	Citrus fruit							Noncitrus fruit					Total fruit
	Oranges	Tangerines	Tangelos	Lemons	Limes	Grapefruit	Total citrus	Apples	Apricots	Avocados	Bananas	Cherries	
	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds
1950-54 av. ...	27.1	2.1	---	3.8	0.15	10.5	43.7	22.2	0.4	0.5	20.1	0.7	
1955-59 av. ...	21.3	1.7	² 0.14	3.1	.14	10.2	36.6	20.3	.3	.6	17.8	.5	
1960 ...	19.3	1.2	.2	2.9	.12	10.0	33.7	18.3	.21	.4	20.5	.4	
1961 ...	16.1	1.8	.2	2.8	.12	9.8	30.8	16.4	.20	.6	20.0	.5	
1962 ...	15.6	1.6	.4	2.8	.11	9.0	29.5	17.4	.20	.5	16.4	.5	
1963 ...	11.9	.9	.3	2.5	.13	6.4	22.1	16.7	.16	.6	16.7	.4	
1964 ...	14.3	1.4	.3	2.6	.12	7.5	26.2	17.9	.20	.3	16.9	.6	
1965 ...	16.4	1.5	.4	2.4	.14	8.3	29.1	16.3	.10	.6	17.9	.4	
1966 ...	16.4	1.4	.5	2.3	.12	8.4	29.1	16.1	.17	.8	18.3	.5	
1967 ...	18.0	1.6	.6	2.3	.10	9.0	31.6	16.2	.11	.5	18.3	.5	
1968 ...	14.1	1.2	.6	2.2	.14	8.0	26.2	15.7	.11	.7	18.5	.5	
1969 ...	16.3	1.3	.5	2.1	.15	7.8	28.2	14.9	.11	.5	17.9	.6	
1970 ...	16.3	1.2	.6	2.1	.17	8.2	28.6	18.3	.14	.8	17.6	.6	
1971 ...	16.1	1.4	.7	2.2	.16	8.6	29.2	16.2	.14	.5	18.2	.7	
1972 ...	14.6	1.3	.7	1.8	.19	8.6	27.2	17.4	.08	.9	18.1	.3	
1973 ...	14.8	1.2	.6	1.9	.19	8.6	27.3	14.5	.09	.7	18.4	.7	
1974 ...	14.8	1.3	.7	2.0	.19	8.3	27.3	15.9	.06	1.2	18.7	.5	
1975 ³ ...	16.0	1.3	1.0	2.0	.20	8.4	28.9	17.4	.11	.9	17.8	.7	
Noncitrus fruit (continued)													Total fruit
Cranberries	Figs	Grapes	Nectarines	Peaches	Pears	Pineapple	Papayas	Plums and prunes	Strawberries	Total non-citrus			
Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	
1950-54 av. ...	0.3	0.04	5.4	0.2	9.7	4.0	0.5	---	1.8	1.5	67.4	111.1	
1955-59 av.3	.03	4.3	.3	8.8	3.5	.6	---	1.6	1.5	60.3	96.9	
196024	.02	3.9	.5	9.5	2.6	.6	.06	1.2	1.3	59.7	93.4	
196129	.02	3.5	.6	9.7	2.6	.4	.08	1.3	1.6	57.8	88.6	
196228	.02	4.0	.5	8.1	2.6	.4	.07	1.3	1.6	53.9	83.4	
196322	.02	4.0	.6	7.6	2.0	.4	.06	1.3	1.6	52.4	74.5	
196422	.02	3.6	.7	6.0	2.4	.5	.09	1.5	1.7	52.6	78.8	
196519	.02	3.9	.7	6.8	1.8	.5	.08	1.4	1.3	52.0	81.1	
196617	.02	3.8	.7	6.2	2.4	.5	.08	1.2	1.4	52.4	81.5	
196714	.01	3.1	.5	4.9	1.8	.5	.10	1.3	1.5	49.4	81.0	
196815	.02	3.4	.6	6.6	2.0	.5	.10	1.3	1.8	52.0	78.2	
196917	.01	3.1	.6	6.8	2.3	.6	.08	1.1	1.7	50.5	78.7	
197018	.01	2.5	.6	5.7	2.1	.7	.12	1.5	1.8	52.6	81.2	
197120	.01	2.1	.6	5.7	2.3	.7	.10	1.3	1.9	50.6	77.1	
197215	.03	1.8	.8	4.1	2.4	.8	.11	1.1	1.7	49.8	77.0	
197319	.04	2.1	.8	4.4	2.5	1.0	.14	1.2	1.6	48.3	75.6	
197415	.05	2.3	1.0	4.3	2.3	1.0	.17	1.6	1.8	51.1	78.4	
1975 ³17	.03	2.5	1.0	5.1	2.8	1.1	.17	1.5	1.8	53.1	82.0	

¹All data on calendar-year basis with exception of citrus fruits, which start October or November prior to year indicated. Civilian consumption only. Beginning 1960, includes Alaska and Hawaii. ²Three-year average. ³Preliminary.

Note: See September 1970 (TFS-176) *Fruit Situation* for annual data prior to 1960.

Table 25—Canned and chilled fruit: Per capita consumption, product weight basis, average 1950-54 and 1955-59, annual 1960-75¹

Year	Canned fruit													Chilled citrus sections ²		
	Apples and apple sauce	Apricots	Berries	Cherries	Cranberries	Figs	Salad and cocktail	Peaches (including spiced)	Pears	Pineapple	Plums and prunes	Olives	Citrus sections		Total	
	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds
1950-54 av.	2.5	1.0	0.4	1.5	0.8	0.14	2.2	5.3	1.6	3.2	0.4	0.8	0.9	20.7	---	
1955-59 av.	3.1	1.0	.3	1.3	.8	.13	2.6	5.7	1.8	3.3	.4	.8	1.0	22.3	30.2	
1960	3.4	1.1	.20	1.1	.6	.09	2.7	6.1	2.0	3.2	.3	1.0	1.0	22.6	.4	
1961	3.6	1.2	.18	1.2	1.0	.08	2.7	6.2	1.8	3.1	.2	1.0	.9	23.2	.4	
1962	3.4	.9	.19	1.2	.8	.08	2.8	6.4	2.1	2.8	.4	.8	.9	22.8	.4	
1963	3.6	1.1	.14	1.0	.8	.07	2.8	6.6	2.0	3.2	.3	.8	.6	23.0	.3	
1964	3.7	1.0	.14	1.3	.7	.07	2.6	6.6	1.6	3.2	.3	1.0	.8	23.0	.4	
1965	3.8	1.1	.14	1.1	.8	.09	2.9	6.7	1.9	3.1	.3	.7	.9	23.5	.3	
1966	3.3	1.1	.16	1.0	.8	.09	3.0	6.2	1.9	3.1	.4	.8	1.0	22.9	.5	
1967	3.7	.9	.18	.8	.8	.07	2.7	6.1	1.8	3.1	.4	.9	1.1	22.6	.5	
1968	3.5	.9	.14	.7	.9	.07	2.8	5.7	1.4	3.7	.3	.7	1.1	21.9	.4	
1969	3.6	.9	.13	1.0	.8	.04	3.2	6.9	2.0	3.4	.3	1.2	.8	24.2	.4	
1970	3.7	1.0	.10	.9	.9	.05	3.2	5.9	2.0	3.3	.3	1.1	.9	23.3	.4	
1971	3.6	1.0	.11	.9	.8	.04	2.7	5.4	2.0	3.3	.3	.9	.9	21.9	.3	
1972	3.5	.7	.12	.8	.8	.09	2.6	5.7	2.0	3.4	.2	.7	.8	21.4	.3	
1973	3.4	.8	.13	.8	1.0	---	3.0	4.9	2.2	3.4	.2	.7	.8	21.3	.3	
1974	3.1	.6	.09	.7	.9	---	2.7	5.0	1.9	2.8	.2	.9	.9	19.8	.3	
1975 ⁴	3.2	.5	.13	.8	.8	---	2.6	4.9	1.8	2.6	.2	.8	.7	19.0	.3	

¹ Civilian consumption only. Beginning 1960, includes Alaska and Hawaii. ² Produced commercially in Florida. ³ Four-year average. ⁴ Preliminary.

Note: See September 1970 (TFS-176) *Fruit Situation* for annual data prior to 1960.

Table 26—Canned and chilled fruit juices (excluding frozen): Per capita consumption, product weight basis, average 1950-54 and 1955-59, annual 1960-75¹

Year	Canned										Chilled ²						
	Citrus					Fruit nectars	Grape	Pineapple		Prune	Total	Orange	Grape-fruit	Total			
	Orange	Grape-fruit	Blended orange and grape-fruit	Lemon and lime	Tangerine			Citrus concentrate ³	Total						Apple	Single strength	Concen- trate ³
1950-54 av.	3.39	2.21	1.00	0.08	0.16	1.69	8.54	0.56	0.70	0.66	2.47	---	0.90	13.83	---	---	---
1955-59 av.	2.48	1.93	.65	.12	.08	1.42	6.65	.72	1.13	.76	2.42	⁴ 1.12	1.08	13.43	1.44	5 0.05	1.47
1960	2.12	1.51	.51	.13	.07	1.45	5.79	.89	1.06	.76	2.15	1.25	1.06	12.96	2.10	.02	2.12
1961	1.70	1.39	.45	.13	.06	1.52	5.25	.95	.52	.71	2.07	1.19	1.05	11.74	1.65	.03	1.68
1962	1.92	1.48	.47	.13	.06	1.05	5.11	1.05	.52	.65	2.09	1.18	1.06	11.66	2.19	.08	2.27
1963	1.69	1.30	.42	.13	.04	1.70	5.28	1.21	.36	.63	2.61	1.74	1.11	12.94	1.14	.03	1.17
1964	1.17	1.09	.30	.11	.04	1.61	4.32	1.49	.28	.65	1.97	1.64	1.11	11.46	1.29	.07	1.36
1965	1.24	1.39	.30	.10	.02	.97	4.02	1.53	.38	.74	1.84	1.19	1.16	10.86	1.90	.05	1.95
1966	1.53	1.73	.34	.10	.02	.99	4.71	1.17	.40	.63	1.92	1.73	1.10	11.66	3.04	.14	3.18
1967	1.57	2.33	.39	.10	.02	1.08	5.49	1.35	.39	.67	1.76	.96	1.09	11.71	4.15	.23	4.38
1968	1.19	2.22	.32	.10	.01	1.35	5.19	1.69	.37	.55	2.14	1.51	.75	12.20	3.96	.24	4.20
1969	1.30	2.94	.33	.10	.01	2.55	7.23	2.41	.41	.54	1.61	1.83	1.10	15.13	3.87	.30	4.17
1970	1.75	2.98	.33	.10	.01	1.45	6.62	2.67	.70	.58	1.60	1.37	1.11	14.65	4.35	.34	4.69
1971	1.60	3.27	.30	.10	.005	2.18	7.45	3.25	.68	.70	1.54	1.20	1.09	15.91	4.35	.43	4.78
1972	1.47	3.28	.25	.10	.01	3.24	8.35	2.63	.56	.54	1.67	1.11	.67	15.53	4.58	.62	5.20
1973	1.67	3.46	.23	.11	.003	2.52	7.99	2.58	.51	.56	2.04	1.25	.99	15.92	4.70	.55	5.25
1974	1.47	3.55	.21	.10	.002	2.46	7.79	2.57	.53	.67	1.18	1.17	.73	14.64	4.68	.53	5.21
1975 ⁶	1.54	3.41	.22	.12	.003	2.63	7.92	2.65	.79	.59	1.08	.84	.83	14.70	5.07	.62	5.69

¹ Civilian consumption only. Calendar-year basis except for citrus juices which are on a pack-year basis beginning prior to year indicated. Beginning 1960, includes Alaska and Hawaii. ² Chilled fruit juice produced commercially from fresh fruit in Florida; does not include reconstituted frozen juice or fresh juice produced for local sale. ³ Single-strength equivalent. ⁴ Three-year average. ⁵ Four-year average. ⁶ Preliminary. Note: See September 1970 (TFS-176) Fruit Situation, for annual data prior to 1960.

Table 27—Frozen fruit: Per capita consumption, product weight basis, average 1950-54 and 1955-59, annual 1960-75¹

Year	Black-berries	Blue-berries	Rasp-berries	Straw-berries	Other berries	Apples	Apricots	Cherries	Grapes and pulp	Peaches	Miscel-laneous ²	Total
	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds
1950-54 av. ...	0.08	0.10	0.18	1.19	0.11	0.27	0.04	0.59	³ 0.05	0.18	0.12	2.89
1955-59 av.09	.14	.20	1.53	³ .14	.41	.04	.63	.09	.22	.22	3.68
196014	.10	.21	1.28	.12	.40	.07	.71	.03	.24	.20	3.50
196110	.16	.20	1.38	.08	.37	.06	.64	.12	.27	.19	3.57
196214	.19	.17	1.42	.11	.32	.06	.74	.08	.30	.23	3.76
196314	.21	.17	1.56	.09	.41	.07	.71	.08	.32	.14	3.90
196412	.18	.17	1.31	.07	.44	.06	.62	.12	.24	.26	3.59
196507	.19	.13	1.39	.07	.45	.06	.78	.06	.32	.16	3.68
196607	.15	.15	1.40	.03	.39	.10	.74	.05	.30	.17	3.55
196712	.17	.17	1.40	.07	.55	.10	.54	.05	.30	.23	3.70
196817	.25	.18	1.42	.12	.49	.08	.53	.12	.29	.19	3.84
196914	.21	.14	1.42	.10	.54	.06	.60	.07	.29	.20	3.77
197011	.21	.16	1.18	.06	.48	.06	.61	.03	.26	.17	3.33
197117	.18	.16	1.40	.07	.54	.07	.68	.01	.25	.16	3.69
197211	.18	.12	1.36	.06	.67	.05	.64	.01	.31	.15	3.66
197308	.16	.10	1.19	.05	.62	.08	.83	.04	.22	.16	3.53
197406	.14	.09	1.13	.05	.34	.06	.50	.01	.28	.13	2.79
1975 ⁴ ..	.09	.23	.11	1.54	.04	.53	.08	.50	.01	.33	.13	3.59

¹ Civilian consumption only. Beginning 1960, includes Alaska and Hawaii. ² Includes plums, prunes, pineapple, noncitrus pears, and miscellaneous fruit and berries. ³ Four-year average. ⁴ Preliminary.

Note: See September 1970 (TFS-176) *Fruit Situation* for annual data prior to 1960.

Table 28—Frozen citrus juices: Per capita consumption, product weight and single strength basis, average 1950-54 and 1955-59, annual 1960-75¹

Year	Orange		Grapefruit		Blend		Lemon	
	Product weight	Single strength	Product weight	Single strength	Product weight	Single strength	Product weight	Single strength
	<i>Pounds</i>	<i>Pounds</i>	<i>Pounds</i>	<i>Pounds</i>	<i>Pounds</i>	<i>Pounds</i>	<i>Pounds</i>	<i>Pounds</i>
1950-54 av. .	2.65	9.32	0.06	0.22	0.04	0.14	0.07	0.13
1955-59 av. .	3.96	13.94	.14	.51	.04	.14	.10	.25
1960	4.43	15.62	.16	.56	.03	.11	.12	.35
1961	4.34	15.30	.14	.49	.01	.04	.05	.13
1962	5.10	17.98	.16	.56	.01	.04	.05	.13
1963	3.36	11.84	.12	.42	.01	.04	.06	.16
1964	3.00	10.58	.13	.46	.004	.014	.05	.15
1965	4.00	14.10	.15	.53	.01	.04	.05	.13
1966	3.82	13.47	.16	.56	.003	.011	.04	.09
1967	5.53	19.49	.22	.78	.002	.007	.05	.13
1968	4.83	17.03	.15	.53	.001	.004	.04	.09
1969	4.88	17.20	.14	.49	.001	.004	.04	.09
1970	5.85	20.62	.21	.74	.001	.004	.03	.06
1971	5.77	20.34	.23	.81	.001	.004	.03	.06
1972	5.96	21.01	.31	1.09	.001	.004	.04	.09
1973	6.75	23.79	.32	1.13	(²)	(²)	.03	.06
1974	7.61	26.83	.34	1.20	(²)	(²)	.03	.06
1975 ³	7.96	28.06	.35	1.23	(²)	(²)	.06	.14
Year	Lemonade base		Limeade		Tangerine		Total	
	Product weight	Single strength	Product weight	Single strength	Product weight	Single strength	Product weight	Single strength
	<i>Pounds</i>	<i>Pounds</i>	<i>Pounds</i>	<i>Pounds</i>	<i>Pounds</i>	<i>Pounds</i>	<i>Pounds</i>	<i>Pounds</i>
1950-54 av. .	0.31	0.23	---	---	⁴ 0.02	⁴ 0.09	3.14	10.11
1955-59 av. .	.64	.48	0.05	0.18	.04	.15	4.97	15.64
196076	.56	.04	.14	.04	.14	5.58	17.48
196161	.45	.04	.14	.05	.18	5.24	16.73
196248	.36	.04	.14	.08	.28	5.92	19.49
196344	.33	.02	.07	.05	.18	4.06	13.04
196451	.38	.06	.21	.05	.18	3.80	11.96
196551	.38	.02	.07	.05	.18	4.79	15.43
196644	.33	.02	.07	.05	.18	4.53	14.70
196748	.36	.03	.11	.05	.18	6.36	21.05
196841	.30	.02	.07	.04	.14	5.49	18.16
196939	.29	.02	.07	.04	.14	5.51	18.28
197033	.24	.03	.11	.05	.18	6.50	21.95
197135	.26	.04	.14	.05	.18	6.47	21.79
197238	.28	.04	.14	.05	.18	6.78	22.79
197347	.35	.02	.07	.05	.18	7.64	25.58
197443	.32	.01	.04	.04	.14	8.46	28.59
1975 ³61	.45	.04	.14	.05	.18	9.07	30.20

¹ Civilian consumption. Beginning 1960, includes Alaska and Hawaii. Product weight includes concentrated and single strength juices. Concentrated fruit juices converted to single strength on basis of 3.525 pounds to 1; lemonade base, 0.84 to 1 through 1952 and 0.74 beginning 1953. ² Negligible. ³ Preliminary. ⁴ Three-year average.

Note: See September 1970 (TFS-176) *Fruit Situation* for annual data prior to 1960.

Table 29—Dried fruit: Per capita consumption, product weight basis, pack years, average 1950-54 and 1955-59, annual 1960-75¹

Pack year	Apples	Apricots	Dates ²	Figs	Peaches	Pears	Prunes ³	Raisins	Total
	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds
1950-54 average	0.12	0.12	0.51	0.32	0.11	0.009	0.92	1.75	3.86
1955-59 average10	.08	.49	.32	.07	.007	.75	1.59	3.42
196010	.07	.45	.34	.06	.006	.62	1.42	3.07
196109	.07	.34	.33	.05	.003	.62	1.60	3.10
196212	.05	.36	.26	.06	.004	.68	1.47	3.00
196308	.06	.37	.30	.05	.003	.58	1.49	2.93
196409	.06	.31	.27	.04	.003	.67	1.45	2.89
196509	.06	.31	.33	.05	.001	.59	1.54	2.97
196615	.06	.31	.27	.04	.001	.54	1.64	3.01
196710	.05	.31	.20	.03	.003	.56	1.52	2.77
196811	.06	.27	.25	.03	.001	.66	1.44	2.82
196918	.05	.21	.16	.004	.001	.57	1.47	2.64
197011	.06	.28	.23	.02	.002	.68	1.34	2.72
197106	.07	.31	.19	.02	.005	.59	1.35	2.59
197208	.05	.29	.12	.03	.004	.49	.96	2.02
197315	.04	.30	.13	.01	.002	.56	1.40	2.59
197411	.03	.26	.20	.01	.002	.47	1.35	2.43
1975 ⁴15	.05	.32	.13	.02	.003	.56	1.48	2.71

¹ Production begins midyear. Civilian consumption only. Beginning 1950, includes Alaska and Hawaii. ² Pits-in basis. ³ Excludes quantities used for juice. ⁴ Preliminary.

Note: See September 1970 (TFS-176) *Fruit Situation* for annual data prior to 1960.

